



P.E.S. College of Engineering, Mandya - 571 401
 (An Autonomous Institution affiliated to VTU, Belagavi)
Fourth Semester, B.E. - Industrial and Production Engineering
Semester End Examination; June - 2017
Engineering Thermodynamics

Time: 3 hrs

Max. Marks: 100

Note: Answer FIVE full questions, selecting ONE full question from each unit.

UNIT - I

- 1 a. Distinguish between; 8
- i) Microscopic and macroscopic point of view ii) Intensive and extensive properties.
- b. With a suitable example, explain Quasi static process. 6
- c. The e.m.f. in a thermocouple with the test junction at $t^\circ\text{C}$ on gas thermometer scale and reference junction at ice point is given by $e = 0.20t - 5 \times 10^{-4}t^2$ mV. The thermometer is calibrated at ice and steam points. What will this thermometer read in a place where the gas thermometer reads 50°C ? 6
- 2a. What are the similarities between heat and work? 6
- b. Derive an expression for displacement work if the system undergoes isothermal process. 6
- c. Show that for a Vander Waal's gas whose equation of state is described by the equation $\left(p + \frac{a}{v^2}\right)(v-b) = RT$. The isothermal work per unit mass is given by 8
- $$RT \log \left(\frac{v_2 - b}{v_1 - b} \right) - a \left(\frac{1}{v_1} - \frac{1}{v_2} \right)$$
- where v_1 and v_2 are the initial and final specific volumes.

UNIT - II

- 3 a. Explain Joule's experiment for a closed system undergoing a cycle. Show that the internal energy is a property of the system. 8
- b. A fluid is confined in a cylinder by a spring-loaded, frictionless piston so that the pressure in the fluid is a linear function of the volume ($p = a+bv$). The internal energy of the fluid is given by following equation $U = 34 + 3.15pv$, where U is in kJ, p in kPa, and V in m^3 . If the fluid changes from an initial state of 170 kPa, 0.03 m^3 to a final state of 400 kPa, 0.06 m^3 , with no work other than that done on their piston, find the direction and magnitude of the work and heat transfer. 8
- c. Define specific heats at constant volume and constant pressure. 4
- 4 a. Write Kelvin Planck and Clausius statements of second law of thermodynamics. 6
- b. Briefly explain the important factors that render processes irreversible. 6
- c. A system receiver 200 kJ of heat at constant volume and rejects 220 kJ of heat at constant pressure during which 40 kJ of work is done on the system. The system is brought back to its original state by an adiabatic process. Calculate adiabatic work. If the initial internal energy is 240 kJ. Then calculate the value of internal energy at all states. 8

UNIT - III

- 5 a. Draw the P-T diagram of water with relevant points. 6
- b. Define the following :
- | | | | |
|--------------------------|----------------------|--------------------|---|
| i) Pure Substance | ii) Dryness Fraction | iii) Sensible Heat | 6 |
| iv) Degree of super Heat | v) Latent Heat | vi) Triple Point. | |

- c. Two Boilers one with super heater and other without superheater are delivering equal quantities of steam of steam into a common main. The pressure in the boiler and main is 20 bar. The temperature of steam from a boiler with a superheater is 350°C and temperature of the steam in the main is 250°C. Determine the quantity of steam supplied by the other boiler. Take $C_{PS} = 2.25$ kJ/kg. 8
- 6 a. Derive the relationship between the two principal specific heats and characteristic gas constant for a perfect gas. 8
- b. A vessel of capacity 3 m³ contains 1kg mole of N₂ at 90°C
- Calculate pressure and specific volume of the gas 8
 - If the ratio of specific heats is 1.4 evaluate the values of C_p and C_v .
 - Subsequently, the gas cools to the atmospheric temperature of 20°C. Evaluate pressure of gas.
- c. Differentiate between an ideal and a perfect gas. 4

UNIT - IV

- 7 a. With the help of a PV and T.S. diagram, derive an expression for the efficiency of a Rankine cycle. 10
- b. Steam at 20 bar, 360°C is expanded in a steam turbine to 0.08 bar. It then enters a condenser, where it is condensed to saturated liquid water. The pump feedback the water into the boiler.
- Assuming ideal processes, find per kg of steam the network and the cycle efficiency 10
 - If the turbine and the pump have each 80% efficiency, find the percentage reduction in the network and cycle efficiency.
- 8 a. Derive an expression for the air standard efficiency of a diesel cycle. 10
- b. A air standard dual cycle has a compression ratio of 16, and compression begins at 1 bar, 50°C. The maximum pressure is 70 bar. The heat transfer to air at constant pressure is equal to that at constant volume. Estimate;
- the pressure and temperatures at the cardinal points of the cycle 10
 - the cycle efficiency
 - the m.e.p. of the cycle, $C_v = 0.718$ kJ/kgK, $C_p = 1.005$ kJ/kgK.

UNIT - V

Contd...3

- 9 a. Discuss the methods employed for increasing thermal efficiency and specific output of open cycle Gas turbine. 10
- b. A Gas turbine plant has temperature limits of 1000° C and 10° C compression in the compressor and the expansion in the turbine are isentropic. Determine,
- The pressure ratio which will give the maximum network output 10
 - The maximum net specific work output
 - The thermal efficiency at maximum workout Take $\gamma = 1.4$, $C_p = 1.005$ kJ/kgK.
- 10 a. Derive an expression for the volumetric efficiency of reciprocating air compressor. 6
- b. What are the advantages of multi stage air compressor over single stage air compressor? 6
- c. Find the power required to compress and delivers 2 kg of air per minute from 1 bar and 20°C to a delivery pressure 7 bar when the compression is carried out in,
- single stage compressor 8
 - two stage compressor
- The compression of air follows the law $PV^{1.4} = C$. Take; $R = 0.287$ kJ/kgK.