



P.E.S. College of Engineering, Mandya - 571 401

(An Autonomous Institution affiliated to VTU, Belagavi)

Fourth Semester, B.E. - Information Science and Engineering

Semester End Examination; May / June - 2018

Finite Automata and Formal Languages


Time: 3 hrs

Max. Marks: 100


Note: Answer FIVE full questions, selecting ONE full question from each unit.

UNIT - I

- 1 a. Define the following with example: 4
 - i) Kleene closure
 - ii) Language
- b. Construct a DFA which accepts strings of 0's and 1's where the value of each string is represented as a binary number. Only the strings representing zero modulo five should be accepted. For example 0000, 0101, 1010, 1111 etc should be accepted. 8
- c. Design the DFA for the following languages over $\Sigma\{a,b\}$ 8
 - i) $L = \{wbab \mid w \in \{a,b\}^*\}$
 - ii) $L = \{w : n_a(w) \geq 1, n_b(w) = 2\}$
- 2 a. Explain the applications of Finite Automata. 6
- b. Convert the following NFA shown in Fig. 2(b) to its equivalent DFA using lazy evaluation method. 6



- c. Construct a DFA from the NFA shown in Fig. 2(c)



UNIT - II

- 3 a. Write the regular expression for the following languages : 8
 - i) Strings of a's and b's of length ≤ 10
 - ii) Strings of 0's and 1's are having no two consecutive zero's
 - iii) Strings of a's and b's with two or more letters but beginning and ending with same letter
 - iv) $L = \{a^{2n} b^{2m} \mid n \geq 0, m \geq 0\}$
- b. Prove that there exists a Finite Automata to accept the language L(R) corresponding to the regular expression. 6

- c. Obtain a regular expression for the Finite Automata shown in Fig.3(c) using state elimination method.




Fig. 3(c)

- 4 a. List and explain the applications of regular expressions. 6
- b. Show that the following language is not regular : 6
- $L = \{ww^R \mid w \in (0+1)^*\}$ $L = \{0^n \mid n \text{ is prime}\}$ 10
- c. Show that if L is a regular language, then the complement of L denoted by \bar{L} is also regular. 6

UNIT - III

- 5 a. Explain the Chomsky hierarchy with an example. 12
- b. Write a grammar to generate an arithmetic expression using the operators +, -, *, / and ^. An identifier can start with any of the letters from {a, b, c} and can be followed by zero or more symbols from {a, b, c}. 4
- c. Is the following grammar ambiguous? 4

$$S \rightarrow aS \mid X$$

$$X \rightarrow aX \mid a$$

- 6 a. Eliminate the useless symbols in the grammar:

$$S \rightarrow aA \mid bB$$

$$A \rightarrow aA \mid a$$

$$B \rightarrow bB$$

$$D \rightarrow ab \mid Ea$$

$$E \rightarrow aC \mid d$$

- b. Convert the following grammar into GNF:

$$S \rightarrow AB1 \mid 0$$

$$A \rightarrow 00A \mid B$$

$$B \rightarrow 1A1$$

UNIT - IV

- 7 a. Construct a PDA to accept the language

$$L(M) = \{wCw^R \mid w \in (a+b)^*\}$$

Where w^R is reverse of w by a final state. Show the acceptance of the string aabCbaa.

- b. Design a PDA to accept the language

$$L = \{w \mid w \in (a+b)^* \text{ and } n_a(w) = n_b(w)\}$$

by an empty stack.

- 8 a. Obtain a PDA to accept a string of balanced parentheses. The parentheses to be considered are (,), [,]. 10
- b. Convert the following grammar into PDA : 10
- $$S \rightarrow aABB \mid aAA$$
- $$A \rightarrow aBB \mid a$$
- $$B \rightarrow bBB \mid A$$
- $$C \rightarrow a$$

UNIT - V

- 9 a. Explain the Turing machine model with a neat diagram. 8
- b. Design a Turing machine model to accept the language 12
- $$L = \{a^n b^n \mid n \geq 1\}$$
- 10 a. Construct a Turing machine to accept the language 8
- $$L = \{w \mid w \in (0+1)^*\}$$
- Containing the substring 001.
- b. Describe a multi-tape Turing machines. 6
- c. Explain the Post's correspondence problem with an example. 6

* * * *